


# QuMini for TRB140

**Integrated small multi-band LTE omni antennas + place to install Teltonika TRB140 (All-in-one)**

QuMini omni LTE antenna for Teltonika TRB140 router is a perfect and small outdoor device for mobile and fixed installations like industrial, CCTV, hotspots, yachts, boats, campers, RV etc. If you use TRB140 with QuMini antenna, you get an integrated complete solution with embedded router and multi band antennas in one enclosure.



## OUTDOOR

Use Teltonika router wherever  
you want

## ANTENNA

Maximize your signal with  
QuWireless antennas

## SOLUTION

Plug Teltonika router and you  
are good to go


## LTE SPECIFICATION

FREQUENCY	0.7-1 GHz 1.7 - 2.2 GHz 2.2 - 2.7 GHz
Supported LTE bands	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 23, 25, 26, 27, 28, 29, 33, 34, 35, 36, 37, 38, 39, 41, 44, 65, 66, 67, 68, 69, 70, 85
GAIN	0.7 - 1 GHz : 2 dBi 1.7 - 2.2 GHz : 2 dBi 2.5 - 2.7 GHz : 3 dBi
VSWR	<1.50, max <2.00
BEAMWIDTH	360°/25° ±5°
POLARIZATION	Vertical
IMPEDANCE	50 Ω

## MECHANICAL SPECIFICATION


MATERIALS	ABS, aluminum, polycarbonate, FR4
INGRESS PROTECTION	IP67
DIMENSIONS	165 x 165 x 54 mm 6.50 x 6.50 x 2.12 inch
WEIGHT	0.8 kg 1.76 lbs
OPERATING TEMPERATURE	From -40°C to 75°C From -40°F to 167°F

## VSWR




## PLOTS


700-900 MHz Azimuth




700-900 MHz Elevation




1710-2170 MHz Azimuth




1710-2170 MHz Elevation



2300-2700 MHz Azimuth



2300-2700 MHz Elevation



## DEVICE SPECIFICATION





Small and quick to deploy industrial Ethernet to 4G LTE IoT gateway. Advanced VPN functionality, security and remote management capabilities makes TRB140 the best option for single device connectivity.

[TRB140 Datasheet](#)

[TRB140 Quick Start Guide](#)

## DIMENSIONS



### HEADQUARTER:

Wireless Instruments sp. z o.o.

ul. Kościuszki 27

52-116 Iwiny

POLAND

[sales@quwireless.com](mailto:sales@quwireless.com)

tel 1. +48 601 366 369

tel 2. +48 577 667 761

[www.quwireless.com](http://www.quwireless.com)